






# Jahresauswertung 2018









## Abwassermenge











<b>Gesamtwassermenge</b>	<b>4'784'680 m<sup>3</sup></b>
<b>Mittelwert</b>	<b>13'109 m<sup>3</sup></b>
<b>Minimumwert</b>	<b>5'580 m<sup>3</sup></b>
<b>Maximumwert</b>	<b>33'980 m<sup>3</sup></b>







## Zulauf







# Auslauf





# Abbauleistungen





CSB Abbau	
386.3	mg / l
95.2%	
85%	

Richtwert

CSB Abbau	
4297.3	kg / Tag
94.8%	
85%	

Richtwert





P-Elimination	
3.8	mg / l
94.6%	
80%	

Richtwert



P-Elimination	
42.0	kg / Tag
93.7%	
80%	

Richtwert



NH4-N-Elimination	
13.9	mg / l
97.7%	
80% Richtwert	

NH4-N-Elimination	
147.0	kg / Tag
96.9%	
80% Richtwert	




N-Elimination	
21.7	mg / l
68.2%	
Richtwert	

N-Elimination	
246.9	kg / Tag
67.4%	
Richtwert	

°C


### Auslauftemperatur



### Schlammhaushalt


m<sup>3</sup>

### Frischschlamm m3 / Tag





TS %

### Frischschlamm TS / Tag







# Gashaushalt





# Stromverbrauch und Wärmebezug



]

]

]

















